

BEECH OVENS™

WORLD LEADER IN SPECTACULAR COOKING EQUIPMENT



E-SERIES



BEECH OVENS E-SERIES

Beech Ovens E-Series Ovens combines the world-renowned craftsmanship, technology and performance of the Beech standard Stone Hearth Oven range with the simplicity of a 1-piece supply and elegance of a full SS façade/wrap, backed by our industry leading 4 year warranty and dependable after sales support community. The Beech Ovens E-Series range of ovens are designed to fit into any standard cooking line and under a common exhaust hood for either a front or back of house spectacular cooking experience.



E-SERIES HIGHLIGHTS


- > Available in 4 standard sizes (REC070E, REC085E, REC105E and REC125E)
- > Available in 2 standard depths - 915mm and 1145mm Overall Depth (easy to blend in with the kitchen line-up or standalone)
- > Approx. **30-40% Cost Savings**
- > Supplied complete with **SS Façade as standard** (optional powder coated façade in any RAL colour available on request)
- > Easy to use **Manual Gas Control(s)** with digital floor temperature display (display ONLY)
- > Available as **Wood Fired OR Electric Fired OR Gas Fired with Feature Display Burner(s)** (Side and rear burner configurations depending on oven size and depth)
- > **Exhaust under extraction canopy/hood ONLY**
- > Full set of **Accessories and Tools** with all ovens (door plug, digital temperature display, Stone hearth tool set including Pizza Peel, Brass Floor Brush, Spigot cleaning Brush, Bubble Hook)
- > **Supplied in one (1) piece Completely Assembled. Connect and Cook!**
- > **Easy Positioning** using standard pallet trolley (removable kick plate under the front toe kick) lifting lugs for crane or by adding castors.
- > **4 Year structural warranty**

WHAT ELSE DOES BEECH PROVIDE YOU:

The top quality Craftsmanship, Technology, Materials and Customer Service that have made Beech the brand you can depend on!!



E-SERIES CAPACITY





E-SERIES CONFIGURATION

CE rated (Europe), USA  SAI Global (Aust) 

Model (E-Series)	Width (A)	Depth (B)	Height (C)
REC070E-1001	984mm (39")	915mm (36")	1741mm (69")
REC085E-1001	1134mm (45")	915mm (36")	1741mm (69")
REC105E-1001	1334mm (53")	915mm (36")	1741mm (69")
REC125E-1001	1535mm (60")	915mm (36")	1741mm (69")

Model (E-Series)	Width (A)	Depth (B)	Height (C)
REC085E-1004	1134mm (45")	1145mm (45")	1741mm (69")
REC105E-1003	1334mm (53")	1145mm (45")	1741mm (69")
REC125E-1005	1535mm (60")	1145mm (45")	1741mm (69")



E-SERIES PRODUCT INFORMATION  rated (Europe), USA  SAI Global (Aust) 

Manufacturer	BEECH OVENS. Manufactured in Australia and USA. www.beechovens.com
Product Description	Rectangular Stone Hearth Oven – Wood OR Gas OR Electric.
Model Numbers	<ul style="list-style-type: none"> • REC070E-1001 • REC085E-1001 • REC105E-1001 • REC125E-1001 • REC085E-1004 • REC105E-1003 • REC125E-1005
Purpose	Wood OR Gas OR Electric Fired stone hearth oven for cooking Pizza and other dishes.
Construction	High grade castable ceramic encased in 5mm steel housing. 50mm insulation covers oven body, 25mm air gap between insulation and non-combustible façade material. 75mm stone hearth floor above 25mm insulating board and 5mm plate. Supplied with external steel cover/façade in SS, raw Zinc-anneal or Zinc-anneal Powder coated to desired colour.
Firing Type	Wood OR Gas OR Electric fired.
Gas	Manual gas controls with piezo ignition, pilot and flame failure.
Exhaust Requirements	Under Exhaust Canopy/Hood (by others) to local codes and regulations.
MEP Ratings	<ul style="list-style-type: none"> • Gas Connection – 1 x 19mm (3/4”) flared connection point. • 110-240V @ 50/60Hz 1 Phase 10 AMP for Digital Temperature display only.
Accessories	<ul style="list-style-type: none"> • Pizza Tools (Pizza Peel, Spigot Brush, Brass Floor Brush, Bubble Hook, SS Rake and Shovel). • Stainless Steel Hearth • Stainless Steel Removable Door Plug • Façade/cover in SS (Powder coated to desired colour available on request).
Safety	<ul style="list-style-type: none"> • Oven and associated systems are AGA, CE and UL certified. • UL Tested to Subject 2162 (Wood/Gas Fired). Complies to USA “ANSI-NSF standard 4”. • Exterior temperatures below 50°C. • Compliant Gas systems with flame failure device.
Special Requirements	<ul style="list-style-type: none"> • Oven surround/rear wall to be made of non-combustible material. • Do not block ventilation at base of oven front (shadow panel). • Exhaust under approved canopy to comply with local codes and regulations.

In line with their policy to continually improve products, Beech Ovens reserves the right to change materials and specifications without notice. All Beech Ovens documentation including Sales Material, Engineering and Architectural Information, Cooking Instructions and FAQ's is available on request in hard copy or digital format from Beech Head Office, or can be downloaded from our website www.beechovens.com

www.beechovens.com

©Beech Ovens Pty Ltd 2018. All Rights Reserved.

International Sales

26A Curtin Ave West, Queensland, Australia, 4120
Tel: (617) 3397 0277
Fax: (617) 3397 0030
e-Mail: sales@beechovens.com.au
Web: www.beechovens.com

North & south America Sales

2650 Orbiter Street, Brea, California, U.S.A, 92821
Tel: (1 714) 961 2400
Toll Free: (800) 844 5233
Fax: (1 714) 961 2550
e-Mail: beechsales@jaderange.com

ABN 14 115 371 741